

VIM-PLUGIN  
**perl-support.vim**  
 VERSION 2.6+

Plugin: <http://vim.sourceforge.net>  
 Fritz Mehner (mehner@fh-swf.de)  
 July 2005

## HOT KEYS

Key mappings for Vim without GUI.

All mappings also work for gVim.

<i>Load / Unload Perl Support</i>	
<b>\lps</b>	Load Perl Support (normal) The key sequences below are defined.
<b>\ups</b>	Unload Perl Support (normal) The key sequences below are undefined.
<i>Comments</i>	
<b>\cl</b>	Line End Comment (normal, visual)
<b>\cf</b>	Frame Comment (normal)
<b>\cu</b>	Function Description (normal)
<b>\ch</b>	File Header (.pl) (normal)
<b>\ce</b>	File Header (.pm) (normal)
<b>\ckb</b>	Keyword comment BUG (normal)
<b>\ckt</b>	Keyword comment TODO (normal)
<b>\ckr</b>	Keyword comment TRICKY (normal)
<b>\ckw</b>	Keyword comment WARNING (normal)
<b>\ckn</b>	Keyw. comm. New_Keyword (normal)
<b>\cc</b>	code → comment (visual)
<b>\co</b>	comment → code (visual)
<b>\cd</b>	Date (normal)
<b>\ct</b>	Date & Time (normal)
<b>\cv</b>	vim modeline (normal)
<i>Statements</i>	
<b>\ad</b>	do { } while (normal, visual)
<b>\af</b>	for { } (normal, visual)
<b>\ao</b>	foreach { } (normal, visual)
<b>\ai</b>	if { } (normal, visual)
<b>\ae</b>	if { } else { } (normal, visual)
<b>\au</b>	unless { } (normal, visual)
<b>\an</b>	unless { } else { } (normal, visual)
<b>\at</b>	until { } (normal, visual)
<b>\aw</b>	while { } (normal, visual)
<b>\a{</b>	{ } (normal, visual)
<i>Help (perldoc)</i>	
<b>\h</b>	read perldoc for word under cursor (normal)

<i>Idioms</i>	
<b>\dm</b>	my \$; (normal)
<b>\dy</b>	my \$ = ; (normal)
<b>\d,</b>	my ( \$, \$ ); (normal)
<b>\d1</b>	my @; (normal)
<b>\d2</b>	my @ = (,,); (normal)
<b>\d3</b>	my %; (normal)
<b>\d4</b>	my % = (=>,=>,); (normal)
<b>\d5</b>	my \$rgx_ = q//; (normal)
<b>\d6</b>	my \$rgx_ = qr//; (normal)
<b>\d7</b>	\$ =~ m// (normal)
<b>\d8</b>	\$ =~ s/// (normal)
<b>\d9</b>	\$ =~ tr/// (normal)
<b>\dp</b>	print "... \n"; (normal)
<b>\df</b>	printf ("... \n"); (normal)
<b>\ds</b>	subroutine (normal)
<b>\di</b>	open input file (normal)
<b>\do</b>	open output file (normal)
<b>\de</b>	open pipe (normal)
<i>Character Classes (POSIX)</i>	
<b>\la</b>	[ :alnum: ] (normal)
<b>\lh</b>	[ :alpha: ] (normal)
<b>\li</b>	[ :ascii: ] (normal)
<b>\lc</b>	[ :cntrl: ] (normal)
<b>\ld</b>	[ :digit: ] (normal)
<b>\lg</b>	[ :graph: ] (normal)
<b>\ll</b>	[ :lower: ] (normal)
<b>\lp</b>	[ :print: ] (normal)
<b>\ln</b>	[ :punct: ] (normal)
<b>\ls</b>	[ :space: ] (normal)
<b>\lu</b>	[ :upper: ] (normal)
<b>\lw</b>	[ :word: ] (normal)
<b>\lx</b>	[ :xdigit: ] (normal)
<i>Run</i>	
<b>\rr</b>	update file, run script (normal)
<b>\rs</b>	update file, check syntax (normal)
<b>\ra</b>	set command line arguments (normal)
<b>\rd</b>	start debugger (normal, GUI only)
<b>\re</b>	make script executable (normal)
<b>\rp</b>	read perldoc, same as \h (normal)
<b>\ri</b>	show installed Perl modules (normal)
<b>\rg</b>	generate Perl module list (normal)
<b>\ry</b>	run perltidy (normal, visual)
<b>\rm</b>	run SmallProf (normal)
<b>\rt</b>	save buffer with timestamp (normal)
<b>\rh</b>	hardcopy buffer to FILENAME.ps (normal, visual)
<b>\rk</b>	settings and hotkeys (normal)
<b>\rx</b>	set xterm size (normal, GUI only)
<b>\ro</b>	change output destination (normal)