

VIM-PLUGIN
perl-support.vim
VERSION 4.0

HOT KEYS

Key mappings for Vim and gVim.
Plugin: <http://vim.sourceforge.net>
Fritz Mehner (mehner@fh-swf.de)

(i) insert mode, (n) normal mode, (v) visual mode

<i>Load / Unload Perl Support</i>		
\lps	load menus	(n)
\ups	unload menus	(n)
<i>Help</i>		
\hp	help (plugin)	(n,i)
<i>Comments</i>		
\cl	end-of-line comment	(n, v, i)
\cj	adjust end-of-line comments	(n, v, i)
\cs	set end-of-line comment col.	(n)
\cfr	frame comment	(n, i)
\cfu	function description	(n, i)
\cm	module description	(n, i)
\ch	file header (.pl)	(n)
\ce	file header (.pm)	(n)
\ca	file header (.t)	(n)
\cp	file header (.pod)	(n)
\ckb	keyword comm. BUG	(n, i)
\ckt	keyword comm. TODO	(n, i)
\ckr	keyword comm. TRICKY	(n, i)
\ckw	keyword comm. WARNING	(n, i)
\cko	keyword comm. WORKAROUND	(n, i)
\ckn	keyword comm. new keyword	(n, i)
\cc	code ↔ comment	(n, v)
\cb	code block → comment	(n, v)
\cn	uncomment code block	(n)
\cd	date	(n, i)
\ct	date & time	(n, i)
\cv	vim modeline	(n, i)

<i>Statements</i>		
\sd	do { } while	(n, v, i)
\sf	for { }	(n, v, i)
\sfe	foreach { }	(n, v, i)
\sei	elsif { }	(n, v, i)
\si	if { }	(n, v, i)
\sie	if { } else { }	(n, v, i)
\su	unless { }	(n, v, i)
\sue	unless { } else { }	(n, v, i)
\st	until { }	(n, v, i)
\sw	while { }	(n, v, i)
\s{	{ }	(n, v, i)

<i>Snippet</i>		
\nr	read code snippet	(n)
\nw	write code snippet	(n, v)
\nw	edit code snippet	(n)
\ntl	edit local templates	(n)
\ntg	edit global templates	(n)
\ntr	reread the templates	(n)

<i>Regular Expressions</i>		
\xr	pick up Regex	(n, v)
\xs	pick up string	(n, v)
\xf	pick up flag(s)	(n, v)
\xm	match	(n)
\xe	explain Regex	(n, v)

<i>Idioms</i>		
\\$	my \$;	(n, i)
\\$=	my \$ = ;	(n, i)
\\$ \$	my (\$, \$);	(n, i)
\@	my @;	(n, i)
\@=	my @ = (, ,);	(n, i)
\%	my %;	(n, i)
\%=	my % = (=>,=>,);	(n, i)
\ir	my \$rgx_ = q//;	(n, i)
\im	\$ =~ m//xm	(n, i)
\is	\$ =~ s//xm	(n, i)
\it	\$ =~ tr//xm	(n, i)
\isu	subroutine	(n, v, i)
\ip	print "... \n";	(n, i)
\ii	open input file	(n, v, i)
\io	open output file	(n, v, i)
\ipi	open pipe	(n, v, i)

<i>POSIX Character Classes</i>		
\pa	[:alnum:]	(n, i)
\ph	[:alpha:]	(n, i)
\pi	[:ascii:]	(n, i)
\pb	[:blank:]	(n, i)
\pc	[:cntrl:]	(n, i)
\pd	[:digit:]	(n, i)
\pg	[:graph:]	(n, i)
\pl	[:lower:]	(n, i)
\pp	[:print:]	(n, i)
\pn	[:punct:]	(n, i)
\ps	[:space:]	(n, i)
\pu	[:upper:]	(n, i)
\pw	[:word:]	(n, i)
\px	[:xdigit:]	(n, i)

<i>Run</i>		
\rr	update file, run script	(n)
\rs	update file, check syntax	(n)
\ra	set command line arguments	(n)
\rw	set Perl cmd. line switches	(n)
\rd	start debugger	(n)
\re	make script executable	(n)
\rp \h	read perldoc for word under cursor	(n)
\ri	show installed Perl modules	(n)
\rg	generate Perl module list	(n)
\ry	run perltidy	(n, v)
\rm	run SmallProf	(n)
\rc	run perlcritic	(n)
\rt	save buffer with timestamp	(n)
\rh	hardcopy buffer	(n,v)
\rk	settings and hotkeys	(n)
\rx	set xterm size	(n, GUI only)
\ro	change output destination	(n)

Ex commands for perlcritic (version 1.01+):

```
:CriticSeverity 1      2      3      4      5
                  brutal cruel harsh stern gentle
:CriticVerbosity 1 ... 11
:CriticOptions   option(s), see perlcritic(1)
```